

# Network Receipt and Badge Printer

# Packing List

Thank you for purchasing the Network Receipt and Badge Printer. This package contains the items listed below. If anything is missing or damaged, please call us toll-free at 1-800-347-6439.

#### This packing list is used for the following product(s):

- □ Network Receipt and Badge Printer (V7005)
- □ 36 Month Extended Warranty (W7005)

#### Your package contains the following:

- Printer
- 1 Roll of Paper
- AC Adapter and Cord
- □ Network Receipt and Badge Printer Paper Order Form
- Warranty Information

# $\subseteq$ COMPanion<sup>®</sup>

## **Table of Contents**

Network Receipt and Badge Printer	3
System Requirements	3
Unpack the Printer	3
Load the Paper or Label Roll	4
Installation Summary	4
Step 1: Configure the Printer	5
Step 2: Enable Security Certificate Settings	7
Step 3: Install COMPanion's Root Security Certificate	8
Step 4: Obtain Network Printer Certificate	13
Step 5: Upload Certificate	14
Step 6: Set Printer Preferences in KeepnTrack	15
Ordering from COMPanion	16
Network Receipt and Badge Printer Paper Order Form	17
Hardware Warranty	18

# COMPanion®

## Network Receipt and Badge Printer Installation Guide

The Network Receipt and Badge Printer is a convenient and economical means of printing badges or slips for your facility visitors, volunteers, students, staff, and vendors.

The next few pages provide general information about the Network Receipt and Badge Printer and steps to install it. Should you need further assistance or have any questions about the installation process, please contact KeepnTrack Customer Support at 1-800-320-5830 or support@keepntrack.com.

### System Requirements

A Static IP or Reserved DHCP address is required to use the network printer. You will also need to enable the printer security certificate settings for SSL/TLS. For more information about SSL/TLS, Static IP or Reserved DHCP address, we recommend speaking with your local IT specialist.

The network printer is supported on the two most recent versions of these web browsers:

- Chrome
- Edge
- Firefox
- Safari

### Unpack the Printer

When unpacking the printer, verify that you have received the printer, manual, and AC Adapter with a cord. The printer does not come with an ethernet cable, so you will need to provide your own.

- 1. Connect the ethernet cable to the connector on the rear panel of the printer.
- 2. Connect the power cable to the AC adapter, then connect the adapter to the connector on the printer.
- 3. While the printer is OFF, insert the power cable plug into a protected AC outlet.
- 4. To turn the printer ON, push the power button located on the right side of the printer. The POWER lamp on the control panel will light up.

## Load the Paper or Label Roll

The paper is heat sensitive—**do not** expose to heat, direct sunlight, or moisture while storing. Only use paper from COMPanion.

- 1. Pull the lever located on the top right hand side to open the printer cover.
- 2. While observing the direction of the roll (see diagram on inside of printer cover), set the paper roll into the compartment and pull the leading edge of the paper towards you.
- 3. Close the lid by pushing down on both sides and ensure it is firmly latched.

The error light will blink if the paper nears the end of the roll or is installed incorrectly. The light will blink at different intervals for various errors. Please see the printer's user manual for more information.

## Installation Summary

To use the Network Receipt and Badge Printer, you first need to follow several configuration steps. Each printer will only need to be configured once, unless the network is changed or the security configuration certificate expires. Security certificates generated by COMPanion are valid for 20 years.

- 1. Configure the printer to use a Static IP or Reserved DHCP address.
- 2. Call COMPanion Customer Support at 1-800-347-4942 to obtain the Network Printer Security Certificate and Key. Be prepared to provide them with your Common Name (domain) and Static IP or Reserved DHCP address.
- 3. Upload the security certificate to the Star Network Utility interface, then restart the printer.
- 4. Enable the security certificate settings for the printer.
- 5. Add COMPanion's root Security Certificate to your computer & browser settings.
- 6. Set printer preferences in KeepnTrack.

### Step 1: Configure the Printer

- 1. While the printer is off, press and hold the FEED button as you power on the printer. After a moment, it will generate a test receipt with the current IP address near the bottom.
- 2. In a web browser, type that IP address in the address bar, and tap enter. You will be directed to the Star Network Utility interface.



- 3. On the left hand side under System Access, select Login.
- 4. Enter the printer's default login credentials:

- a. Username: root
- b. Password: public
- 5. Once you're logged in, on the left hand side under Network Configuration select **IP Parameters**.

Home > Home	IP Parameters	
Network Configuration IP Parameters	<ul> <li>Static</li> <li>Following addresses are used.</li> </ul>	
<ul> <li>&gt; System Configuration</li> <li>&gt; Change Password</li> <li>&gt; Star Micronics Cloud</li> </ul>	IP Address	
<ul> <li>&gt; CloudPRNT</li> <li>&gt; SSL/TLS</li> <li>&gt; Miscellaneous</li> <li>&gt; Save</li> </ul>	Subnet Mask	
<ul> <li>Set Default</li> <li>Display Status</li> </ul>	Default Gateway	
<ul> <li>&gt; Device Status</li> <li>System Access</li> </ul>		
Logout	<ul> <li>Dynamic</li> <li>Addresses are obtained from network.</li> </ul>	
Manual Online Manual	Submit	Cancel

- 6. Enter the Static IP Address, Subnet Mask, and Default Gateway or Reserved DHCP address for your local network. If you do not know what these are, speak with your local IT specialist.
- 7. Click **Submit** to save your changes.

# COMPanion°

## Step 2: Enable Security Certificate Settings

If you are a cloud-hosted customer or have a secure network environment, you need to enable certificate security settings in the Star Network Utility interface.

1. In the Star Network Utility, go to the menu on the left and select **SSL/TSL**, then click **SSL/TLS Setting** on the right.

Star mc-	Label3 Web Configuration
Home > Home	SSL/TLS
Network Configuration <ul> <li>IP Parameters</li> <li>System Configuration</li> </ul>	SSL/TLS Setting
<ul> <li>Change Password</li> <li>Star Micronics Cloud</li> <li>CloudPRNT</li> </ul>	Create Self-Signed Certificate
<ul> <li>&gt; SSL/TLS</li> <li>&gt; Miscellaneous</li> <li>&gt; Save</li> <li>&gt; Set Default</li> </ul>	Import CA-Signed Certificate
Display Status Device Status	
System Access Logout	
Manual  Online Manual	
	mC-Label3 Web Configuration.

- 2. From the drop-down menu, select **Enable**.
- 3. Enter "TCP Port 443" in the available field.
- 4. From the Certificate drop-down menu, select CA-Signed.
- 5. Click **Submit** to save your changes.

### Step 3: Install COMPanion's Root Security Certificate

You should have received a link to download the COMPanion Root Certificate.

If not, download it at www.companioncorp.com/ca.companioncorp.crt.

If you're using the operating system's browser—Safari on iOS, Edge or Internet Explorer on Windows—it may ask what you'd like to do with the certificate: Open, Save, or Cancel. Click Open, then jump to Step 2 for your operating system below.

If the certificate was downloaded to your computer, or if you aren't prompted to trust or install the certificate automatically, follow the steps for your operating system below:

#### iOS

- 1. From Launchpad, navigate to Other and open Keychain Access.
- 2. Under Keychains on the left, **unlock** the System keychain.

• • •		Keychain Access	5		
Click to lock the	System keychain.			Q. Searc	ch
Keychains login Local Items System System Roots	Com.apple.kerbero Self-signed root certific Expires: Tuesday, Augus A This certificate has n	s.kdc ate at 12, 2036 at 12:18:35 i ot been verified by a thi	PM Mountain Daylight Time ird party		
	Name	Kind	Date Modified	Expires	Keychain
	Com.apple.kerberos.kdc	certificate		Aug 12, 2036, 12:18:35 PM	System
	com.apple.kerberos.kdc	public key			System
	com.apple.kerberos.kdc	private key			System
Category	com.apple.systemdefault	certificate		Aug 12, 2036, 12:18:35 PM	System
All Items	com.apple.systemdefault	public key			System
/ Passwords	com.apple.systemdefault	private key			System
Secure Notes	COMPanion Corp Wireless WiFi	AirPort network pas	Aug 17, 2016, 12:19:34 PM		System
My Cortificator					
Wry Certificates					
I Neys					
Certificates					
			7 iteme		

- 3. Drag and drop the file labeled **ca.companioncorp.crt** into the System keychain list.
- 4. Double click on the certificate to open Details/Trust window.
- 5. Click the arrow next to the word Trust.
- 6. Select the When Using this Certificate and Secure Sockets Layer (SSL) dropdown menu, and choose **Always Trust**.



Click to lock the	System keychain.		
Keychains login Local Items System System Roots	Companion Root CA         Companion Root CA         Companion Root CA         Root certificate suthority         Province Workshow, June 3, 2037 at 11:33:05 AM Mountain Daylight Time         O This certificate is marked as trusted for all users.         Use System Defaults	, 12:18:35 PM	Keychain System
	Y co     When using this certificate:     Always Trust       Y co     Never Trust		System System
Category All Items	C Secure Sockets Layer (SSL) Always Trust C Secure Mail (S/MIME) Always Trust C Secure Mail (S/MIME) Always Trust C Secure Mail (S/MIME) Always Trust C Secure Secure Mail (S/MIME) Always Trust C Secure Sec	, 12:18:35 PM	System System System
My Certificates	IP Security (IPsec) Always Trust	11:33:05 AM	System
Certificates	Kerberos Client Always Trust O Kerberos Server Always Trust O		
	Code Signing Always Trust 3 Time Stamping Always Trust 3		

7. Close the window and enter your Mac user password to save your settings.

#### Windows

1. In the Window search bar, type "cert", then select Manager computer certificates from the results.



2. On the left, select Trusted Root Certification to expand the menu.

# COMPanion°

acertIm - [Certificates - Local Computer\Trusted Root Certification Authorities]	-	×
File Action View Help		
← ➡   2   -   0     2		
<ul> <li>Certificates - Local Computer</li> <li>Personal</li> <li>Trusted Root Certification</li> <li>Certificates</li> <li>Enterprise Trust</li> <li>Intermediate Certification</li> <li>Trusted Publishers</li> <li>Untrusted Certificates</li> <li>Third-Party Root Certification</li> <li>Trusted People</li> <li>Client Authentication Issu</li> <li>Preview Build Roots</li> <li>AAD Token Issuer</li> <li>Homegroup Machine Cer</li> <li>Smart Card Trusted Roots</li> <li>Trusted Devices</li> </ul>		
S S Windowe Live ID Token Ier ✓		>
Trusted Root Certification Authorities store contains 39 certificates.		

3. From the options at the top of the window, navigate to Action > All Tasks > Import.

ᡖ ce	ertlm - [Ce	ertificates - Local Com	puter\Tru	usted Root Certification Autho	orities] —	$\times$
File	Action	View Help				
⇐ =	Fin	d Certificates				
🗟 🖸	All	Tasks	>	Find Certificates		
<b>↓</b> <mark> </mark>	Ref	fresh		Import		
	Exp	port List				
	He	lp				
	Trusted Untrusted Third-P Trusted Client A Preview AAD To Homeg Certifica Smart C Trusted	Publishers ed Certificates arty Root Certifica People suthentication Issu Build Roots ken Issuer roup Machine Cer ate Enrollment Rec ard Trusted Roots Devices				
<	Mindou	ve Live ID Token Icc ` ≯	<			>
Add a	certificate	e to a store				

4. In the Certificate Import Wizard, click Next.



÷	Certificate Import Wizard	×
	Welcome to the Certificate Import Wizard	
	This wizard helps you copy certificates, certificate trust lists, and certificate revocation lists from your disk to a certificate store.	
	A certificate, which is issued by a certification authority, is a confirmation of your identity and contains information used to protect data or to establish secure network connections. A certificate store is the system area where certificates are kept.	
	Store Location Current User (a) Local Machine	
	To continue, click Next.	
	Next Cancel	

5. Click **Browse** to locate the ca.companioncorp.crt file on your computer, then click **Next**.

– 😺 Certificate Import Wizard	
File to Import	
speary the nie you want to import.	
File name:	
\\Windows\Home\Desktop\ca.companioncorp.crt Bro	wse
Note: More than one certificate can be stored in a single file in the following	formats:
Personal Information Exchange-PKCS #12 (.PFX, .P12)	
Cryptographic Message Syntax Standard- PKCS #7 Certificates (,P7B)	
Microsoft Serialized Certificate Store (.SST)	
Next	Cancel



6. Make sure Place all certificates in the following store is selected and Trusted Root Certification Authorities is specified, then click **Next**.

C	
Certifica	ie store ificate stores are system areas where certificates are kept.
Wine	lows can automatically select a certificate store, or you can specify a location for certificate.
(	) Automatically select the certificate store based on the type of certificate
(	Place all certificates in the following store
	Certificate store:
	Trusted Root Certification Authorities Browse

7. Click **Finish** to import the certificate and complete the process.

#### Alternative Installation Methods

If you cannot add the Trusted Root CA to your computer, try adding it to your browser directly. Here are a few resources we're aware of:

- <u>Chrome</u>
- <u>Firefox</u>

## Step 4: Obtain Network Printer Certificate

Call COMPanion Customer Support at 1-800-347-4942 to obtain the network printer certificate and key. You'll need to provide the representative with your local network's Common (Domain) Name and Static IP address(es) or Reserved DHCP address(es) for each printer you purchased. For your convenience, you can write this information in the fields below.

The COMPanion Customer Support representative will generate a certificate and key for your printer which they will email to you. Once you receive the email, download the attachments. You can identify the files by their extensions: **.crt** for certificate and **.key** for key.

#### **Organization Name:**

#### IP Address or DNS or DHCP (one for each printer):

1.	 -
2.	 -
3.	 -
4.	 -
5.	 -

# COMPanion<sup>®</sup>

## Step 5: Upload Certificate

---

 In the Star Network Utility, go to the menu on the left and select SSL/TSL, then click Import CA-Signed Certificate on the right.

Home > Home	Import CA-Signed Certificate
Network Configuration	Browse C:\fakepath\Printer.IP.Test.crt
> IP Parameters	unload
System Configuration	upidad
Change Password	Import CA-Signed Brivate Key
Star Micronics Cloud	Import CA-Signed Private Rey
> CloudPRN1	
> SSL/ILS	Browse C:\fakepath\Printer.IP.Test.key
> Miscellaneous	
Save	upload
- Ger Deladir	delete
Display Status	
Device Status	
System Access	
> Logout	
<b></b> .	
Manual	
Online Manual	

- 2. Under Import CA-Signed Certificate, click **Choose File** and locate the certificate you receive from COMPanion. Once you've selected the file, click **Import**.
- 3. Repeat this process to import the CA-Signed Private Key. Make sure you're importing the key file you received from COMPanion.
- 4. After you have imported both the certificate and key you will select the **Save** option to the left.
- 5. Choose Save  $\rightarrow$  Configuration printing  $\rightarrow$  Restart device, then click Execute.

Now you can log out of the Star Network Utility interface.

# COMPanion®

### Step 6: Set Printer Preferences in KeepnTrack

- 1. Log into an Attended or Self-Service kiosk in KeepnTrack.
- 2. Click the Actions menu and choose Workstation Management.
- 3. Navigate to **Printers > Printer Settings**.
- 4. For each badge and slip type, choose which printer it will be sent to from the dropdown menu: No Printer, Network Printer, USB Badge.
- 5. If you selected Network Printer, enter the printer's IP address, then choose the format type: Standard or No Picture.
- 6. Finally, test your settings to make sure your printers work.

Return to Kiosk	KeepnTrack Workstation Management										
Printer Settings These settings allow you to configure the printers and printer paper/label options being used with KeepnTrack. You can also test wheth labels and slips are printing properly.											
Introduction		Printer		IP Address	Format						
	Visitor Badge	USB Badge	https://	0.0.0	Standard Format		Test				
	Volunteer Badge	USB Badge	https://	0.0.0.0	Standard Format		Test				
Information	Volunteer Slip	USB Slip	https://	0.0.0	Standard Format		Test				
	Student Badge	USB Badge	https://	0.0.0	Standard Format		Test				
	Student Slip	No Printer	https://	0.0.0.0	Standard Format		Test				
Station	Staff Badge	Network Printer	https://	192.168.1.1	No Picture		Test				
	Staff Slip	Network Printer	https://	192.168.1.2	Standard Format		Test				
	Vendor Badge	USB Badge	https://	0.0.0	Standard Format		Test				
Printers	Vendor Slip	No Printer	https://	0.0.0.0	Standard Format		Test				

KeepnTrack will automatically save your changes.

If you don't see these preferences, KeepnTrack may not be registered for the network printer yet. Contact COMPanion Customer Support at 1-800-347-6439 for assistance.

#### That's it!

You've successfully installed and configured the Network Receipt and Badge Printer. Please read the printer's user manual for additional operational, precautionary, and maintenance information. You can find additional information about KeepnTrack printing preferences in the Support Center.

# Ordering from COMPanion

Thank you for ordering from COMPanion Corporation.

To order additional paper for your printer, fill out the order form on the following page. Please help us to process your order by listing the quantity of each item and the grand total.

Send your completed form to:

#### **Mailing Address**

COMPanion Corporation 1831 Fort Union Blvd. Salt Lake City, UT 84121-3041

#### **Fax Numbers**

Toll-Free: 1-888-515-3883 Local: 1-801-943-7752



For assistance placing an order, contact our Sales department at 1-800-347-6439. For complete product information, visit https://www.keepntrack.com/.

## Network Receipt and Badge Printer Paper Order Form

Product	Description			Quantity	Price	Total					
V7310	Network Printer Receipt Pape			\$79.00							
V7350	Network Printer Receipt Pape	er, 50 rolls			\$199.00						
* Shipping i	is included.			ΤΟΤΑΙ	.:						
Billing I	nformation										
Institution N	lame:										
Phone:		Fax:									
Address:											
City:		State:	Zip C	ode:							
Primary Cor	ntact:	Email:									
Alternative Contact:			Alternative Phone:								
Shipping	g Information										
Institution N	lame:										
Phone:		Fax:									
Address:											
City:			State:	Zip C	ode:						
Primary Contact:			Email:								
Alternative Contact:			Alternative Phone:								
Paymen	t Information										
🗅 VISA	A 🔲 MASTERCARD	AMEX		MONEY ORI	DER	U WIRE					
Cardholder	Name:										
Card Numb	er:		Exp. Date:								
		↓ For COMPa	nion Use Only $\downarrow$								
Purchase Order Number:											

# COMPanion®

## Hardware Warranty

COMPanion Corporation's scanners, printers, cash drawers, and other hardware devices are warranted by COMPanion against defects in materials and workmanship for the specified period from the date of shipment by COMPanion to the end-user. During this warranty period, we, or our designated repair facility, will repair or replace (at our option) at no charge any device that proves to be defective, provided you return the device, shipping prepaid, to COMPanion, following the return guidelines below.

#### Standard Warranty Period: 12 Months

This warranty does not apply to damage caused by accident or misuse, including by the use of paper not sourced from COMPanion, or as the result of service or modification by other than COMPanion or our designated repair facility.

No other express warranty is given. The replacement of the device is your exclusive remedy. Any other implied warranty of merchantability or fitness is limited to the duration of this written warranty. Some states, provinces, and countries do not allow limitations on how long an implied warranty lasts, so the above limitation may not apply to you.

In no event shall COMPanion or its designated repair facility be liable for consequential damages. Some states, provinces, and countries do not allow for the exclusion or limitation of incidental or consequential damages, and so the above limitations or exclusions may not apply to you.

### Return Guidelines

Should your device fail to operate during the period of this warranty, contact COMPanion Customer Support at 1-800-347-4942. Our staff will help resolve the issue or provide instructions to properly return the device to COMPanion.

[This page has been intentionally left blank.]