

1831 Fort Union Blvd, Salt Lake City, Utah 84121 800-347-6439 • 801-943-7277 www.companioncorp.com

Badge Printer

Packing List

Thank you for purchasing the Badge Printer. This package should contain the following items. If anything is missing or damaged, please call COMPanion at 1-800-347-6439 or 1-801-943-7277. For Customer Service, call 1-800-347-4942.

This packing list is used for the indicated products:

- Standard V6010
- Twin Turbo V6012

Your package should contain the following:

- Badge Printer
- Power Cable and Power Adapter
- USB Cable
- Software Installation CD
- Printer Installation Guide
- Badge Label and Paper Order Form
- COMPanion Exchange and Warranty Repair Policy



KeepnTrack Badge

Printer Installation Guide



Copyright ©2017 Evelyn Manufacturing, All Rights Reserved.

Distributed under license by COMPanion Corporation. Under the copyright laws, this document may not be copied, in whole or in part without written consent of Evelyn Manufacturing. The same proprietary and copyright notices must be a xed to any permitted copies as were a xed to the original. KeepnTrackTM, and the associated logo and icons are registered trademarks of Evelyn Manufacturing. Other trade names are the property of their respective corporations. Printed in the United States of America.

System Requirements	Windows	Macintosh
Minimum	Windows 7 (32 bit) IGB Free Hard Drive Space IGB RAM USB 2.0 Connection	OS 10.9 1GB Free Hard Drive Space 1GB RAM USB 2.0 Connection
Recommended	Windows 7 or Windows 8 (32 or 64 bit) 20GB or more of Free Hard Drive Space 2GB or more of RAM USB 2.0 Connection	OS 10.9, 10.10, or 10.11 20GB or more of Free Hard Drive Space 2GB or more of RAM USB 2.0 Connection

COMPanion supports the two most recent versions of Edge, Internet Explorer, FireFox, Chrome, and Safari. If you are uncertain that your system meets the current requirements, please contact COMPanion Customer Support at 1-800-320-5830 or support@keepntrack.com

Setting Up the Printer

When unpacking, verify that you have received the printer, manual, installation CD, power supply, power cord, and a USB cable.

Connect the "D"-shaped end of the USB interface cable to the connector on the rear panel of the printer. When prompted by the installation software connect the rectangular end of the cable to an available USB port on your computer.

NOTE: DO NOT CONNECT THE PRINTER TO A USB KEYBOARD OR OTHER HUB AS THE POWER SUPPLIED BY THESE DEVICES IS INSUFFICIENT.

Connect the power cable to the AC adapter; next, connect the AC adapter to the connector on the printer. Plug the power cable into a properly protected AC outlet.

NOTE: ONLY USE THE ADAPTER AND CORD THAT CAME WITH YOUR PRINTER. The printer will automatically turn on when the power adapter is plugged into both the printer and an AC outlet.

Loading the Labels or Paper

- Use only COMPanion part number V6101 (Yellow Badge labels) or V6301 (Continuous Wide Student Pass Paper).
- Press the form-feed button to eject the protection labels.
- Open the printer by lifting the cover and remove any packing materials.
- Following the directions listed on the inside of the printer, load the labels onto the spool with the labels feeding from below, making sure that the roll is positioned tightly on the spool with no gap between the roll and the spool.
- Feed the labels into the printer, aligning the labels with the left wall of the printer and against the label guide, and press the form-
- feed button on the front of the printer.
- Gently close the lid.
- An error light will blink if paper nears its end or is incorrectly installed:
 - Solid Blue Power is ON and printer is ready
 - Dimmed Blue Printer is in power-saving mode
 - Flashing Blue Labels are not loaded properly or the label roll is empty

NOTE: LABELS ARE HEAT SENSITIVE! DO NOT EXPOSE TO HEAT, DIRECT SUNLIGHT, OR MOISTURE WHILE STORING.

Summary of Installation Steps

In order to use your badge printer with KeepnTrack, you must first properly install the hardware and device drivers before configuring the printer software:

1. On your computer, install the required printer software and then plug in the printer.

NOTE: DO NOT PLUG THE PRINTER INTO THE COMPUTER UNLESS PROMPTED BY THE SOFTWARE OR THE INSTALLATION PROCESS IS COMPLETE.

- 2. Configure the KeepnTrack Administration Settings to use a badge printer.
- 3. Finally, configure the KeepnTrack Kiosk to use your printer.
- 4. Browser Specifics

These steps will be covered comprehensively on the following pages.

Installing the Printer Software on Windows

Before using your badge printer, you must first install the printer software. The software can be found on the installation CD provided. Locate and Run the file labeled **DLS8Setup.8.6.x.exe** (Image I).

NOTE: THE SOFTWARE COMPONENTS MAY ALSO BE DOWNLOADED FROM: http://www.keepntrack.com/supportcenter/index.php/Install_Guides



Image 1

After reviewing the License Agreement, click **I Agree** to continue (Image 2).

YMO Label Setup	
icense Agreement Please review the license terms before installing DYMO Label v.8.	Ð
Press Page Down to see the rest of the agreement.	
DYMO SOFTWARE LICENSE AGREEMENT	-
CAREFULLY READ ALL THE TERMS AND CONDITIONS OF THIS AGREEMENT.	
1. LICENSE: You and your assignees whom you agree shall be bound Software License Agreement (the "Agreement") set forth herein shall he non-exclusive right to use the enclosed software program (the "Program The Program and its related documentation are copyrighted. You may modify or translate the Program or related documentation without the p written consent of Sanford L. B. d/h/a DMO (DYMO). YOU MAY NOT 1	by this ave the m"). not rior
If you accept the terms of the agreement, click I Agree to continue. You must ac agreement to install DYMO Label v.8.	cept the
< Back I Agree	

Image 2

Select to perform an Express Installation and click Next (Image 3).



Image 3

When the installation is complete, select **Finish** (Image 4).



Image 4

Installation for Windows is now complete. Connect the USB cable from your printer to the computer and then power ON your printer. You can confirm the printer is available and installed correctly by selecting Devices and Printers in the Windows Control Panel (Image 5). Proceed to the KeepnTrack Configuration section.

NOTE: IT IS ESSENTIAL THAT THE NAME OF THE PRINTER REMAIN AS IT WAS WHEN INSTALLED. DO NOT CHANGE IT. SUPPORTED NAMES ARE: **DYMO LabelWriter 400, DYMO LabelWriter 450, DYMO LabelWriter Twin Turbo**.



Image 5

Installing the Printer Software on Macintosh

Before using the label printer, you must first install the printer software. The software can be found on the installation CD provided. Locate and Open the file labeled **DLS8Setup.8.6.x.dmg**. Double-Click on the **DYMO Label v.8.pkg** file within to begin the installation (Image 6).

NOTE: THE SOFTWARE COMPONENTS MAY ALSO BE DOWNLOADED FROM: http://www.keepntrack.com/supportcenter/index.php/Install_Guides



Image 6

After reviewing the Readme file and License Agreement, click **Continue** and **Agree** (Image 7).

000		🥪 Install	DYMO Label v.8			a
0 Int 0 Rei 0 Lic	To continue in of the softwar Click Agree to and quit the In	nstalling the sof re license agreen continue or click staller.	tware you must ment. Disagree to can	t agree to	o the terms	
De: Inst	Read Licen	se	Disag	ree	Agree	_ •
 Installa Conclu Summary 	ation usion ary	may not modify or to the prior written con NOT USE, COPY, N DOCUMENTATION IN THIS AGREEME 2. TERM: This licen destroying the Prog license will also terr this Agreement. You the Program and do 3. LIMITED WARR/ WARRANTY OF AN PERFORMANCE O Print	anslate the Program sent of Sanford, L.P., IODIFY OR TRANSF, OR ANY COPY EXON NT. se is effective until te ram and documentati ninate if you fail to co agree, upon such te cumentation. NTY: THE PROGRAM IS F THE PROGRAM IS Save	or related do d/b/a DMO FER THE PR CEPT AS EX rminated. Yo ion and all co mply with ar rrmination, to M IS PROV EE RISK AS S ASSUMED	ocumentation v (DYMO), YOU OGRAM OR (PRESSLY PR bu may termina opies thereof. 1 by terms or cor o destroy all co IDED "AS IS" V TO THE RESU B BY OU. SH Back	Without MAY OVIDED the it by This Idition of pies of WITHOUT LT AND DULD Continue

Image 7

If prompted, you will need to enter the **Name** and **Password** for an Administrator to complete installation (Image 8).

Installer is trying to install new software. Type your password to allow this.
Name: Administrator Password:
Cancel Install Software
1 0

Image 8

When prompted, **connect** the USB cable from your printer to the computer and power **ON** the printer (Image 9).

000	💝 Install DYMO Label v.8	≙
	Conclusion	
 Introduction Read Me License Destination Select Installation Type Installation Conclusion Summary 	To complete the installation, connect and, if appropriate, turn on your printer now, then click OK. If the printer does not appear in the printer list, refer to the ReadMe file for information about adding the printer.	
	Go Back Continue	

Image 9

Installation for Macintosh is now complete. You can confirm the printer is available and installed correctly by checking the Print & Fax settings found by selecting System Preferences from either the dock icon or from Apple drop down menu (Image 10). Proceed to the KeepnTrack Configuration section.



NOTE: IN SOME VERSIONS OF OSX IT MAY BE NECESSARY TO SELECT TO 'ADD A PRINTER' FOLLOWING INSTALLATION OF THE SOFTWARE. IF THE PRINTER IS NOT LISTED IN PRINT AND FAX SETTINGS CLICK THE '+', CHOOSE THE APPROPRIATE MODEL OF DYMO LABELWRITER FROM THE LIST AND CLICK 'ADD'.

NOTE: IT IS ESSENTIAL THAT THE NAME OF THE PRINTER REMAIN AS IT WAS WHEN INSTALLED. DO NOT CHANGE IT. SUPPORTED NAMES ARE: **DYMO LabelWriter 400, DYMO LabelWriter 450, DYMO LabelWriter Twin Turbo**

KeepnTrack Configuration

You will need to make a couple of changes in the KeepnTrack software to start printing badges or student slips. Begin by logging in to KeepnTrack Administration.

To configure settings for the facilities in your account:

Click on the kiosk you wish to configure, either: **Attended Kiosk**, **Self-Service** or **Express**. Remember, you'll have to configure each kiosk separately.

Attended Kiosk: Begin by selecting the facility for which you'd like to configure the printer then click on "Select". In the next screen near the bottom, click on "Workstation Management".



Image 11

Self-Service and Express: For these Kiosks, click on the **'Gear'** icon in the upper left corner and select **'Workstation Management'** (Image 12).



Image 12

Workstation Management: Once in the 'Workstation Management' utility, click on 'Printers' (Image 13).

	labels and slips are printing	properly.				
		Printer		IP Address	Format	
	Visitor Badge	USB Badge	https://	0.0.0.0	Standard Format	Test
	Volunteer Badge	USB Badge	https://	0.0.0.0	Standard Format	Tes
	Volunteer Slip	USB Slip	https://	0.0.0.0	Standard Format	Tes
	Student Badge	USB Badge	https://	0.0.0.0	Standard Format	Ter
l	Student Slip	USB Slip	https://	0.0.0.0	Standard Format	Ter
	Staff Badge	USB Badge	https://	0.0.0.0	Standard Format	Ter
	Staff Slip	USB Slip	https://	0.0.0.0	Standard Format	Ter
	Vendor Badge	USB Badge	https://	0.0.0.0	Standard Format	Ter
	Vendor Slip	LISB Slin	https://	0000	Standard Format	Tex
	USB Badge	vo Printer		Network Printer	Install Guide	
	USB Sip	lo Printer		Download USB	Printer Driver	
				USB Badge Pri	nter Guide	
				LICE Badae Dri	stor Turio Quida	

From the drop down menu for "**Printer**", select either "Badge" or "Slip" depending on your preference. If this is to be a "Network Printer" then supply an **"IP Address"** in the IP Address field. Next, select the print format you'd like to use from the **"Format"** dropdown.

Under USB Printer Options, set the options for Badge and Slip printers. For the DYMO 400 or 450 select LabelWriter 400/450. For the Twin Turbo Printer, select whether Badges or Slips will print on the left or right (Image 14).

No Printer	
LabelWriter 400/450	
LW Twin Turbo (Left)	
LW Twin Turbo (Right)	

Image 14

You are now ready to test your badge printer with KeepnTrack. Test it and you're done!

NOTE: For users of Google Chrome

To use dymo on Google Chrome, you will need the Dymo Web Service. This web service is included with the Dymo 8.6.x link located in Workstation Management (Image 15).

Printer IP Address Format Visitor Badge Visitor Badge Visitor Badge Standard Format Image: Comparison of Comparison o	Printer IP Address Format Velure Badge VSB Badge Mtps:// 0.0.0 Standard Format Imps:// Volure Badge VSB Badge Mtps:// 0.0.0 Standard Format Imps:// Volure Badge VSB Badge Mtps:// 0.0.0 Standard Format Imps:// Volure Badge VSB Badge Mtps:// 0.0.0 Standard Format Imps:// Student Badge VSB Badge Mtps:// 0.0.0 Standard Format Imps:// Student Sip VSB Badge Mtps:// 0.0.0 Standard Format Imps:// Stand Badge VSB Badge Mtps:// 0.0.0 Standard Format Imps:// Vendor Badge VSB Badge Mtps:// 0.0.0 Standard Format Imps:// Vendor Sip VSB VSB Mtps:// 0.0.0 Standard Format Imps:// Vendor Sip VSB VSB Mtps:// 0.0.0 Standard Format Imps:// Vendor Sip VSB VSB Mtps:// 0.0.0 Standard Format Imps:// Vendor Sip VSB VSB Mtps:// 0.0.0 Standard Format Imps:// Vendor Sip VSB VSB Mtps:// 0.0.0 Standard Format Imps	labels and slips are printin	g property.	and printer papers	and options being used		
Visitor Badge USB Badge https:// 0.0.0 Standard Format Image: Comparison of the compar	Value Badge Volunteer Badge Velue Badge Mtps:// 0.0.0 Standard Format Image: Contract Con		Printer		IP Address	Format	
Volunteer Badge USB Badge https:// 0.0.0 Standard Pormat Volunteer Sip USB Sip https:// 0.0.0 Standard Pormat Image: Comparison of the pormat Student Badge USB Badge https:// 0.0.0 Standard Pormat Image: Comparison of the pormat Student Sip USB Badge https:// 0.0.0 Standard Pormat Image: Comparison of the pormat Staff Badge USB Badge https:// 0.0.0 Standard Pormat Image: Comparison of the	Volunteer Badge USB Badge Mttps:// 0.0.0 Standard Format Volunteer Sip USB Sip Mttps:// 0.0.0 Standard Format Image: Comparison of the c	Visitor Badge	USB Badge	https://	0.0.0.0	Standard Format	
Volunteer Sip USB Sip Inttps:// 0.0.0 Standard Pormat Student Badge USB Badge Intps:// 0.0.0 Standard Pormat Image: Comparison of Comparis	Volunteer Sip USB Sip Nttps:// 0.0.0 Standard Format Student Bidge USB Badge Nttps:// 0.0.0 Standard Format Image: Comparison of the com	Volunteer Badge	USB Badge	https://	0.0.0.0	Standard Format	
Student Badge USB Badge Integral 0.000 Standard Format Student Sip USB Sip Integral 0.000 Standard Format Image: Comparison of Comparison	Student Blage USB Blage https:// 0.0.0 Standard Format Student Sip USB Sip https:// 0.0.0 Standard Format Start Blage USB Blage https:// 0.0.0 Standard Format Image: Comparison of the co	Volunteer Slip	USB Slip	https://	0.0.0.0	Standard Format	
Student Silp USB Silp https:// 0.000 Standard Format Staff Badge USB Badge https:// 0.000 Standard Format Image: Constraint Constr	Student Sip USB Sip Integration Staff Badge USB Badge Integration Staff Sip USB Sip Integration Staff Sip USB Sip Integration Vendor Badge USB Badge Integration Vendor Sip USB Sip Integration Vendor Sip USB Sip Integration Vendor Sip USB Sip Integration USB Printer Options Exchange Printer Documentation Lust workstation is limited to a single USB printer. If USB Badge Integration USB Badge No Printer below. Printer Documentation USB Badge No Printer Image: Sign Network Instal Skide USB Sip No Printer Image: Sign Network Instal Skide USB Sign No Printer Image: Sign Network Printer Instal Skide USB Sign No Printer Image: Sign USB Sign Network Instal Skide USB Sign No Printer Image: Sign Network Printer Instal Skide USB Skige Printer: Thin Skide USB Sign No Printer Image: Sign Image: Sign Notestion Skide <td>Student Badge</td> <td>USB Badge</td> <td>https://</td> <td>0.0.0.0</td> <td>Standard Format</td> <td></td>	Student Badge	USB Badge	https://	0.0.0.0	Standard Format	
Staff Badge USB Badge Mttps:// 0.000 Standard Format Staff Skip USB Skip Mttps:// 0.000 Standard Format Image: Comparison of the standard Format Vendor Skip USB Badge Mttps:// 0.000 Standard Format Image: Comparison of the standard Format Used or Skip USB Skip Mttps:// 0.000 Standard Format Image: Comparison of the standard Format USB Printer Options Mttps:// 0.000 Standard Format Image: Comparison of the stand	Staff Badge USB Badge https:// 0.0.0 Standard Format Staff Slip USB Slip https:// 0.0.0 Standard Format Vendor Badge USB Badge https:// 0.0.0 Standard Format Vendor Slip USB Badge https:// 0.0.0 Standard Format Vendor Slip USB Slip https:// 0.0.0 Standard Format USB Printer Options Thtps:// 0.0.0 Standard Format Image: Comparison Standard Format Lists workstation is limited to a single USB printer. If Image: Comparison Standard Format Image: Comparison Standard Format Image: Comparison Standard Format USB Badge No Printer Image: Comparison Standard Format Image: Comparison Standard Format Image: Comparison Standard Format USB Badge No Printer Image: Comparison Standard Format Image: Comparison Standard Format Image: Comparison Standard Format USB Badge No Printer Image: Comparison Standard Format Image: Comparison Standard Format Image: Comparison Standard Format USB Badge No Printer Image: Comparison Standard Format Image: Comparison Standard Format Image: Comparison Standard Format <	Student Slip	USB Slip	https://	0.0.0.0	Standard Format	
Staff Slip USB Slip Inttps:// 0.000 Standard Pormat Imtps:// Vendor Badge USB Badge Inttps:// 0.000 Standard Pormat Imtps:// Vendor Slip USB Slip Inttps:// 0.000 Standard Pormat Imtps:// USB Printer Options Inttps:// 0.000 Standard Pormat Imtps:// USB Badge No Printer Decomentation Here your allest drivers and documentation that contracted in that contracted in that pormative between the posterior ing measures. Imtps:// Natework Printer Install Guide USB Badge No Printer Imtps:// Natework Printer Install Guide Imtps:// USB Slip No Printer Imtps:// Natework Printer Install Guide Imtps:// USB Slip No Printer Imtps:// Imtps:// Natework Printer Install Guide USB Slip No Printer Imtps:// Imtps:// Imtps:// Imtps:// USB Slip No Printer Imtps:// Imtps:// Imtps:// Imtps:// USB Slip No Printer Imtps:// Imtps:// Imtps:// Imtps:// USB Slip No Printer Imtps:// </td <td>Staff Slip USB Slip https:// 0.0.0 Standard Pormat Image: Standard Pormat Vendor Slip USB Slip https:// 0.0.0 Standard Pormat Image: Standard Pormat</td> <td>Staff Badge</td> <td>USB Badge</td> <td>https://</td> <td>0.0.0.0</td> <td>Standard Format</td> <td></td>	Staff Slip USB Slip https:// 0.0.0 Standard Pormat Image: Standard Pormat Vendor Slip USB Slip https:// 0.0.0 Standard Pormat Image: Standard Pormat	Staff Badge	USB Badge	https://	0.0.0.0	Standard Format	
Vendor Badge USB Badge Inttps:// 0.0.0 Standard Format Image: Comparison of Standard Format Vendor Sip USB Sip Inttps:// 0.0.0 Standard Format Image: Comparison of Standard Format USB Printer Options Environmentation is single USB printer. If uset, set your options for this printer below. Printer Documentation USB Badge No Printer Image: Comparison of Standard Format Image: Comparison of Standard Format USB Badge No Printer Image: Comparison of Standard Format Image: Comparison of Standard Format USB Sip No Printer Image: Comparison of Standard Format Image: Comparison of Standard Format USB Sip No Printer Image: Comparison of Standard Format Image: Comparison of Standard Format USB Sip No Printer Image: Comparison of Standard Format Image: Comparison of Standard Format USB Sip No Printer Image: Comparison of Standard Format Image: Comparison of Standard Format USB Sip No Printer Image: Comparison of Standard Format Image: Comparison of Standard Format USB Sip No Printer Image: Comparison of Standard Format Image: Comparison of Standard Format USB Sip No Printer	Vendor Badge USB Badge Intps:// 0.0.0 Standard Format Image: Comparison of Com	Staff Slip	USB Slip	https://	0.0.0.0	Standard Format	
Vendor Sip USB Sip https:// 0.0.0 Standard Format USB Printer Options Back workstation is limited to a single USB printer. If used, set your options for this printer below. Printer Documentation USB Badge No Printer Image: Sip No Printer Image: Sip USB Sip No Printer Image: Sip Notwork Printer Install Guide USB Sip No Printer Image: Sip Notwork Printer Install Guide USB Sip No Printer Image: Sip Notwork Printer Install Guide USB Sip No Printer Image: Sip Notwork Printer Install Guide USB Sip No Printer Image: Sip Notwork Printer Install Guide	Vendor Sip USB Sip https:// 0.0.0 Standard Format USB Printer Options	Vendor Badge	USB Badge	https://	0.0.0.0	Standard Format	
USB Badge No Printer No Printer Course State Sta	USB Printer Options Lock workstation is limited to a single USB printer. If used, set your options for this printer below. Here you will find used stativers and documentation that consider, set your options for this printer below. USB Badge No Printer No Printer USB Sip No Printer No Badge Printer Install Guide USB Sip No Printer Noteposite Printer Used USB Badge Printer USB Badge Printer Guide USB Badge Printer Twin Guide USB Badge Printer Twin Guide Loading Labels and/or Printer	Vendor Slip	100 05-	https://		Rendered Frender	
USB Sip No Printer USB Sip USB Sig USB	USB Sip No Printer USB Sig USB Sig Code USB Badge Printer (Sudde USB Badge Printer, Twin Guide Loading Labels and/or Printer	USB Printer Each workstation is used, set your optio	Options imited to a single USB prise for this printer below.	sinter. If	Printer Docu Here you will find ou troubleshooting mea	mentation relatest drivers and documentation sures, including how to correctly	n that cov
USB Sip No Printer USB Badge Printer Driver USB Badge Printer Guide USB Badge Printer Twin Guide Loading Labels and/or Printer	USB Sip No Printer USB Badge Printer Daver USB Badge Printer Caude USB Badge Printer Find Guide Loading Labels and/or Printer	USB Printer Each workstation is used, set your optio	Options Imited to a single USB prise for this printer below.	sinter. If	Printer Docu Here you will find ou troubleshooting mea	mentation relatest drivers and documentation sures, including how to correctly	n that co- load print
USB Badge Printer, Twin Guide Loading Labels and/or Printer	USB Badge Printer, Twin Guide Loading Labels and/or Printer	USB Printer Each workstation is used, set your option	Options Imited to a single USB p na for this printer below.	sinter. If	Printer Docu Here you will find ou troubleshooting mea	standard Format	n that cov
		USB Printer Each workstation is used, set your optio USB Badge USB Slip	Options limited to a single USB p na for this printer below. No Printer No Printer		Printer Docu Here you will find ou troubleshooting mea	Instantiant Format	in that cov
		USB Printer Each workstation is used, set your optio USB Badge USB Sip	Options limited to a single USB p is for this printer below. No Printer No Printer	sinter f	Printer Docu Here you will find ou toubleshooting mea Network, Printer Doemload USB USB Badge Pri USB Badge Pri Loading Labels	standard -romat	in that cov
		USB Printer Each workstation is used, set your optio USB Badge USB Silp	Options limited to a single USB p is for this printer below.	uniter. If	Printer Docu Here you will find ou troubleshooting mea USB Badge Prin Loading Labels	Internation Inter	n that cov

Installing the Printer Software on Macintosh

Once the driver is installed you will need to configure some settings within Google Chrome. Settings can be accessed by clicking on the icon in the upper right corner of Google Chrome. Once in Settings, click on Show Advanced Settings near the bottom of the page (Image 16).

••• ¢ s	ettings ×		Vince
C C O	chrome://settings		** 4 8 1
Apps 💽 Initial	Page - JIRA 📋 Vince's Personal Stuff 🗎 KNT Tools and Reso 🗎 Wiki Edit Tools 🗎 z39	.5 Resources 📋 Drama 🗎 Predict It Stuff 🗎 v7 Tools and Resour 🖄 v6 Tools and Resour 🕧 Clock in 🧱 HTML Event Attributes	E Other Bookmarks
Chrome	Settings	Search settings	
History	Sign in		
Extensions	Signed in as vmyers01@gmail.com. Manage your synced data on <u>Google Dashboard</u> . Please update your sync passphrase.		
Settings	Disconnect your Google Account Advanced sync settings		
About	On startup		
	Open the New Tab page		
	Continue where you left off		
	Open a specific page or set of pages. Set pages		
	Appearance		
	Get themes Reset to default theme		
	Show Home button		
	Always show the bookmarks bar		
	Search		
	Set which search engine is used when searching from the <u>omnibos</u> .		
	ucoge • Manage search angines		
	People		
	Person 1	×	
	Vince (summit)		
	Enable Guest browsing		
	Let anyone add a person to Chrome		
	Add person Edt Remove Import bookmarks and settings		
	Default browser		
	The default browser is currently Google Chrome.		
	Show advanced settings		

Image 16

Once inside Advanced Settings, click on Content Settings under the Privacy section (Image 17).



Image 17

Within the section JavaScript, make sure it is set to allow all sites to run JavaScript. Then click on Manage Exceptions (Image 18).

JavaScript exceptions	×
Hostname pattern	Behavior
[*.]example.com	Allow 👻
Learn more	Done
	10

Image 18

In JavaScript Exceptions, enter your website (for example: https://example.keepntrack.com) in Hostname Pattern. Make sure the Behavior drop down is set to Allow then click Done.

Next, go to Plugins and select Run All Plugin Content then click on Manage Exceptions. Under Hostname Pattern, again enter your website (for example: https://example.keepntrack.com) and make sure Behavior drop down is set to Allow (Image 19).

Plugin exceptions	
Hostname pattern	Behavior
[*.]example.com	Allow
earn more	Done

Image 19

Next go to Unsandboxed Plugin Access. Check 'Allow all sites to use a plugin to access your computer' and then click on Manage Exceptions. Under Hostname Pattern, again enter your website (for example: https: example.keepntrack.com) and make sure Behavior drop down is set to Allow (Image 20).

nsandboxed plugin access exceptions	
Hostname pattern	Behavior
[*.]example.com	Allow 👻
<u>parn more</u>	Done

Image 20

Once you have the Workstation Management set to print from your Dymo, you will be ready to print from Google Chrome.

Troubleshooting Tips

Clearing Label Jams

1. Tear off any labels that have already fed through the printer.

2. Press the label release lever forward and pull the jammed label out of the label feed slot.

3. Make sure your labels are loaded properly and that the left edge of the label is aligned with the left edge of the label feed slot.

Correcting Poor Print Quality

Poor print quality is most frequently caused by one of the following:

- An old roll of labels.
- Labels not obtained from COMPanion.
- Labels where the thermal coating has be compromised.
- A dirty print head.

First, make sure you are using COMPanion labels. Do not use third-party labels because the thermal coating on other labels may have a different sensitivity. Also, the perforated holes between the labels made by other manufacturers are frequently not detectable by these printers.

If the print quality becomes faint, small dots of white appear scattered through the printed characters, or light and dark patches of printing appear, you are probably using a faulty roll of labels. Try using a different roll from a fresh box. If the second roll prints correctly, the problem is with the first roll of labels.

Another possibility is that the LabelWriter print head needs cleaning. Every LabelWriter printer comes with a cleaning card.

You can easily clean your Badge Printer using the following items:

- Lint-free cloth.
- Isopropyl alcohol, diluted dishwashing detergent, or ammonia free glass cleaner.
- Small, soft brush, such as a tooth brush or child's paint brush.
- LabelWriter cleaning card.

To keep your Badge Printer working properly, you should clean it from time to time. Dusting the outside of the printer occasionally will help keep foreign matter from getting inside the printer. However, it is still a good idea to periodically perform some basic interior maintenance, such as cleaning the label path with the cleaning card.

To clean the exterior of your printer and the label roll compartment:

- 1. Disconnect the power cord.
- 2. Use the lint-free cloth to wipe the exterior of the printer.
- 3. Remove dirt and smudges with one of the cleaning solutions mentioned above.
- 4. Open the top cover.

5. Use a small, soft brush or cotton swab to whisk away paper dust and other stray particles from the inside of the printer.

6 . Remove the roll of labels and clean under the roll.

7. If you have a LabelWriter cleaning card, follow the instructions printed on cleaning card packaging.

8. Reconnect the power cord and reload the roll of labels.



1831 Fort Union Blvd, Salt Lake City, Utah 84121 800-347-6439 • 801-943-7277 www.companioncorp.com

Ordering from COMPanion

Thank you for ordering from COMPanion Corporation. You may refer to the following page to order more paper for your printer. Please assist us in processing your order by listing the quantity you want and the grand total for the order. If you need assistance placing an order, you may contact our Sales department at 1-800-347-6439. For complete product information you may visit our website at: <u>www.keepntrack.com</u>. Please note that prices are subject to change without notice. Once you have completed the form please mail or fax it to the following:

<u>Mailing Address</u> COMPanion Corporation 1831 Fort Union Blvd. Salt Lake City, UT 84121-3041

<u>Fax Numbers</u> Local Fax: 801-943-7752 Toll Free Fax: 1-888-515-3883

COMPanion®

Badge Printer Label and Paper Order Form

Product Number	Description	Quantity	Unit Price	Total
V6110B	Blue Badge Labels, per case (10 rolls)		\$159.00	
V6IIOR	Red Badge Labels, per case (10 rolls)		\$159.00	
V6IIOP	Purple Badge Labels, per case (10 rolls)		\$159.00	
V6IIOY	Yellow Badge Labels, per case (10 rolls)		\$159.00	
V6110	Badge Labels, Yellow (entire label), per case (10 rolls)		\$159.00	
V6110G	Green Badge Labels, per case (10 rolls)		\$159.00	
V6IIOM	Badge Labels, 2 of each color, per case (10 rolls)		\$159.00	
V6310	Student Pass Paper, per case (10 rolls)		\$159.00	
Shipping Charges are Included				
Total				

Bill To: Institution Name:		_ Phone:		
Address:				
City:Sta	ate:Zip:	_Fax:		
Contact:	Contact Email:			
Alternative Contact:	ntact: Alternative Phone Number			
Ship To: Institution Name:		_ Phone:		
Address:				
City:Sta	ate:Zip:	_Fax:		
Contact:	Contact Email:			
Alternative Contact:	Alternative Phone	Number:		
Method of Payment: VISAMASTERCARDAMERICAN EXPRESSCHECKMONEY ORDERWIRE				
Cardholder Name:	Card Number:			
Exp. Date: Purchase Order Number:				



1831 Fort Union Blvd, Salt Lake City, Utah 84121 800-347-6439 • 801-943-7277 www.companioncorp.com

Hardware Warranty

COMPanion Corporation's Scanners, Printers, Cash Drawers, and other hardware devices are warranted by COMPanion against defects in materials and workmanship for the specified period from the date of shipment by COMPanion to the end-user. During this warranty period, we, or our designated repair facility, will repair or replace (at our option) at no charge any device that proves to be defective, provided you return the device, shipping prepaid, to COMPanion, following the return guidelines below.

Your Standard Warranty Period: 1 Year

This Warranty is VOID if the product has been damaged by accident or misuse, or as the result of service or modification by other than COMPanion or our designated repair facility, or if you use paper or labels that were not purchased from COMPanion. Our printer supplies have been engineered to provide superior results and reliable operation.

No other express warranty is given. The replacement of the device is your exclusive remedy. Any other implied warranty of merchantability or fitness is limited to the duration of this written warranty. Some states, provinces and countries do not allow limitations on how long an implied warranty lasts, so the above limitation may not apply to you.

In no event shall COMPanion or its designated repair facility be liable for consequential damages. Some states, provinces, and countries do not allow for the exclusion or limitation of incidental or consequential damages, and so the above limitations or exclusions may not apply to you.

Return Guidelines:

Should your device fail to work during the period of this warranty, contact COMPanion Customer Support at 1-800-347-4942. Our staff will help resolve the issue or provide return instructions.

Should your device still fail to operate after a reasonable period of trouble-shooting, your COMPanion support technician will issue a Return Merchandise Authorization (RMA) number and provide information about how to properly return the device to COMPanion.