

Authority Control

Tools

- [Authority Control](#)
- [Inventory](#)
- [Sites](#)
- [Routes](#)
- [Subscriptions](#)
- [Calendars](#)
- [Policies](#)
- [Security](#)
- [Activity](#)
- [Offline Mode](#)
- [Self-Service](#)
- [Textbook Tracker](#)

How helpful was this page?



Unknown macro: 'rate'

Tell us what we can improve.

Related Blog Posts


Blog Posts

- [Blog: Cleaning up homerooms: Authority Control](#) created by [Bethany Brown](#)
Aug 30, 2023
[Alexandria](#)
- [Blog: Cleaning up the grade table—Authority Control](#) created by [Bethany Brown](#)
Apr 26, 2023
[Alexandria](#)
- [Blog: Improve searching—Medium aliases](#) created by [Morgan](#)
Oct 14, 2020
[Alexandria](#)
- [Blog: Set the terms—Autofill and Authority Control](#) created by [Myra](#)
Mar 08, 2019
[Alexandria](#)
- [Blog: Spring Cleaning—Authority Control](#) created by [Myra](#)
Mar 19, 2018
[Alexandria](#)
- [Blog: Labor of Love—Cleaning up Your Subject Tags](#) created by [Myra](#)
Jan 11, 2016
[Alexandria](#)

[Save as PDF](#)



Authority Control



How It Works

getHtmlModificationDate()</p>
</div>
<div data-bbox="101 127 125 146" data-label="Image">

</div>
<div data-bbox="130 127 603 140" data-label="Text">
This page has been moved to <https://support.goalexandria.com/tools/authority-control/>
</div>
<div data-bbox="85 182 237 201" data-label="Section-Header">
<h2>How It Works</h2>
</div>
<div data-bbox="85 209 912 277" data-label="Text">
<p>Authority Control offers those who are uncomfortable with the complexities of MARC records a simple way to maintain consistency in their bibliographic records. First off, Authority Control in Alexandria is always enabled and can not be turned off. After the initial launch of Alexandria, one of your first steps will be to import patron and item information. As you do this, Alexandria will create authority control records from your data. Alternately, if you are converting data from a previous version of Alexandria, the software will create a brand new Authority Control database from your existing records. From this point on, any time you add data to an authority-controlled field in Alexandria, your term is automatically added to the Authority Control database. This can be happen during future imports, manual entry of titles, or the conversion of an older Alexandria data set.</p>
</div>
<div data-bbox="85 285 879 331" data-label="Text">
<p>After typing the first three characters in an authority-controlled field, Alexandria will check to see if the newly-entered data already exists in your Authority Control database. If the newly-provided data is an exact match against existing data, the field will auto-complete slightly lighter than the characters previously typed. At this point, if you <tab> out of the field, the auto-completed term will be used and your cursor will move to the next editable field. This way, you may add a more current term or select one that already exists.</p>
</div>
<div data-bbox="95 343 125 360" data-label="Image">

</div>
<div data-bbox="125 345 437 360" data-label="Text">
Unknown macro: 'multiexcerpt-include-macro'
</div>
<div data-bbox="73 397 196 418" data-label="Section-Header">
<h2>Navigation</h2>
</div>
<div data-bbox="85 419 207 440" data-label="Section-Header">
<h3>Navigation</h3>
</div>
<div data-bbox="85 446 906 514" data-label="Text">
<p>This interface is used to select the bibliographic (or other) data elements you want authority controlled, the process by which information contained in bibliographic records is standardized using distinct terms for specific data elements. That is to say, operators assign certain data elements (e.g. Author, Title, or Subject) in bibliographic records a unique term which is then used to describe all references to that same element (e.g. "Clemens, Samuel Langhorne"), even if there are spelling variations, pen names, or aliases. When these standards are consistently applied to bibliographic records, your database (i.e. library catalog) is better maintained and organized, keeping it user-friendly and searchable so that patrons can easily find what they are looking for.</p>
</div>
<div data-bbox="85 523 912 558" data-label="Text">
<p>Alexandria's Authority Control does not support MARC Authority standards, but works like the "controlled" vocabulary model on MARC and non-MARC data alike. It's a useful hybrid that does more, far more intuitively. Every time that an entry is made to one of Alexandria's actively controlled data elements (i.e. terms), the Authority Control index is updated. Authority Control is always on and can not be deactivated.</p>
</div>
<div data-bbox="85 566 659 580" data-label="Text">
<p>The Authority Control interface uses the familiar layout found in most Alexandria management interfaces.</p>
</div>
<div data-bbox="119 588 890 633" data-label="List-Group">

• The Category/Type pane on the left contains a list of all existing authority control categories (e.g. Subjects) and types (e.g. Topical Term). Selections from this pane act as filters, allowing you to narrow your focus and display only relevant authority-controlled types.
• The Terms window on the right allows you to add, remove, or modify terms for the selected category/type as you see fit.

</div>

How It Works

Authority Control offers those who are uncomfortable with the complexities of MARC records a simple way to maintain consistency in their bibliographic records. First off, Authority Control in Alexandria is always enabled and can not be turned off. After the initial launch of Alexandria, one of your first steps will be to import patron and item information. As you do this, Alexandria will create authority control records from your data. Alternately, if you are converting data from a previous version of Alexandria, the software will create a brand new Authority Control database from your existing records. From this point on, any time you add data to an authority-controlled field in Alexandria, your term is automatically added to the Authority Control database. This can be happen during future imports, manual entry of titles, or the conversion of an older Alexandria data set.

After typing the first three characters in an authority-controlled field, Alexandria will check to see if the newly-entered data already exists in your Authority Control database. If the newly-provided data is an exact match against existing data, the field will auto-complete slightly lighter than the characters previously typed. At this point, if you <tab> out of the field, the auto-completed term will be used and your cursor will move to the next editable field. This way, you may add a more current term or select one that already exists.



Unknown macro: 'multiexcerpt-include-macro'

Navigation


Navigation

This interface is used to select the bibliographic (or other) data elements you want authority controlled, the process by which information contained in bibliographic records is standardized using distinct terms for specific data elements. That is to say, operators assign certain data elements (e.g. Author, Title, or Subject) in bibliographic records a unique term which is then used to describe all references to that same element (e.g. "Clemens, Samuel Langhorne"), even if there are spelling variations, pen names, or aliases. When these standards are consistently applied to bibliographic records, your database (i.e. library catalog) is better maintained and organized, keeping it user-friendly and searchable so that patrons can easily find what they are looking for.

Alexandria's Authority Control does not support MARC Authority standards, but works like the "controlled" vocabulary model on MARC and non-MARC data alike. It's a useful hybrid that does more, far more intuitively. Every time that an entry is made to one of Alexandria's actively controlled data elements (i.e. terms), the Authority Control index is updated. Authority Control is always on and can not be deactivated.

The Authority Control interface uses the familiar layout found in most Alexandria management interfaces.

- The [Category/Type](#) pane on the left contains a list of all existing authority control categories (e.g. Subjects) and types (e.g. Topical Term). Selections from this pane act as filters, allowing you to narrow your focus and display only relevant authority-controlled types.
- The [Terms](#) window on the right allows you to add, remove, or modify terms for the selected category/type as you see fit.



Fun Fact

The word *authority* in *authority control* derives from its initial use in identifying *authors*, and does *not* have the usual meaning of *authority* as a power relationship, although both senses of the word *authority* are related etymologically.

Actions Menu

The  Actions dropdown menu contains specialized authority-specific functions and other tools. To remove unused terms, select (highlight) the authority control type that you would like to tidy up from the Category/Type pane.

- **Remove Unused "XXX" Terms.** This selection queues a utility that examines all of the terms for the currently selected Category/Type; if no matching records are found for the term, it's removed from the authority control database. Remember, this removes all unused entries from the Authority Control database, but will not remove entries that are currently being used. The completion time for this utility depends on the number of records modified and the capabilities of your server. Click Proceed to continue or Cancel to abort.
- **Remove All Unused Terms.** This hidden selection queues a utility that examines and removes all of your authority controlled terms and any that don't match one or more records are removed from your database. Please contact COMPanion's Customer Support team if you need to access this option.
- **Rebuild All Authority Records.** This hidden selection queues a utility that examines all of the authority control-related tables in Alexandria and then adds missing terms to the authority control database. Please contact COMPanion's Customer Support team if you need to access this option.



Due to COMPanion's migration to newer **MARC Authority** standards over the years, those upgrading from a previous version of Alexandria may be forced to rebuild their existing authority-control database.

Older AACR2 authority-controlled records will be converted to the newer **RDA**-style on rebuild and unsupported records will be removed from the database.

Categories

Categories

The first step in creating or modifying an authority control record is picking the appropriate type located to the left of the main category name. You are able to expand or contract category sections by clicking the icon located to the left of the main category name. Selecting (highlighting) one of the main category names (e.g. Subjects) will reveal all of the authority control types available for that category.

For example, if you want to add (or update) a term used for a publisher, you would select Publication from the Category/Type pane.

Some of the authority-controlled types that appear in the Category/Type pane affect data that is stored in Alexandria's own custom format. These fields have no relation to MARC Authority standards although they are set up and shared similarly. Further, some of these fields are used in patron records (e.g. City, State, and Homeroom). Other types (e.g. Curriculum Term, Interest Term, Bibliography Term, and Publisher) are stored in a MARC format, but aren't part of the MARC Authority standard.

Select the Authority Control Type for which you'd like to add terms.

Patrons

- **Grade.** Controls terms in the patron Grade field. The name of the [Level] type is customizable in your Localization preferences.
- **City.** Controls terms in the patron City field.
- **State.** Controls terms in the patron State field.
- **Postal Code.** Controls terms in the patron Postal Code field.
- **Homeroom.** Controls terms in the patron Homeroom field; site-specific. The name of the [Location] type is customizable in your Localization preferences.
- **2nd Location.** Controls terms in the patron 2nd Location field; site-specific. The name of the [Sublocation] type is customizable in your Localization preferences.

Titles

- **Interest Term.** Controls Interest Terms in the 521_a field.
- **Bibliographic Term.** Controls Bibliographic Terms in the 653_a field.
- **Curriculum Term.** Controls Curriculum Terms in the 658_a field.
- **Genre.** Controls Genre terms in the 655_a field.
- **Awards.** Controls Awards terms in the 586_a field.

Series

- **Series.** Series controls data in the following fields:
 - Series Statement (490_a)
 - Series Personal Names (800_a)
 - Series Corporate Names (810_a)
 - Series Meeting Names (811_a)

Medium

- **Medium.** Mediums can come from different locations in a record. The AACR2-style records use 245_h while RDA-style records use a series of separate, more specific tags (336_a, 337_a, and 338_a). You can add an alias for Mediums.

Publication

- **Publisher.** Controls data in the 264_b field.
- **Publication Place.** Controls data in the 264_a field.
- **Publication Year.** Controls data in the 264_c field.

Copies

- **Copy Location.** Controls data in the 852_b field; site-specific.
- **Copy Shelving.** Controls data in the 852_c field; site-specific.
- **Funding Source.** Controls terms in the copies Funding Source field.
- **Vendor.** Controls terms in the copies Vendor field.

Names

- **Personal Name (Author).** Controls data in the 100_a and 700_a fields.
- **Corporate Name.** Controls data in the 110_a and 710_a fields.
- **Meeting Name.** Controls data in the 111_a and 711_a fields.

Subjects

- **Topical Term.** Controls data in field 650_a.

Category/Type	
▼	Patrons
	Grade
	City
	State
	Postal Code
	Homeroom
	2nd Location
▼	Titles
	Interest
	Bibliographic
	Curriculum
	Genre
	Awards
▶	Series
▶	Medium
▶	Publication
▶	Copies
▶	Names
▶	Subjects

- **General Subdivision.** Controls data in field 650_x.
- **Chronological Subdivision.** Controls data in field 650_y.
- **Geographic Subdivision.** Controls data in field 650_z.
- **Personal Name (Author).** Controls data in field 600_a.
- **Corporate Name.** Controls data in field 610_a.
- **Meeting Name.** Controls data in field 611_a.
- **Geographic Name.** Controls data in the 651_a and 751_a fields.

Terms

Terms

The larger, right-side of the interface is dedicated to the Selected Authority Type pane where you can view and edit all of the authority-controlled terms you have created for the selected type. This pane changes dynamically depending on the Category/Type you have selected on the left; for example, if you have Personal Name (Author) selected, you'll see a list of associated author terms. You can edit an existing term from the list by double-clicking on it or by selecting (highlighting) it and clicking Edit Term.


Use the Search field to locate an entry in the currently selected authority control Category/Type. Enter the term (or a close approximation) that you are looking for and Alexandria will display the closest matches.

Selected Authority Type Options

If a term is entered erroneously during input, import, or conversion, you can use Edit Term to change the text that you would like to have authority-controlled. The terms that you can edit are based on the Category selected on the left (e.g. Titles, Patrons, Publication, etc). Modify the term that you would like to have authority-controlled and click **YES, this MAY modify up to XX records** or **NO, go back and modify selection to cancel**. When you have modified your term, you will be returned to the Authority Control interface with your updates reflected in the selected authority control list.

Edit Term

Editing an authority-controlled term will update all corresponding terms in your database to match your changes. When you click to modify the records, a System Utility will be scheduled to make the changes. The time it takes to complete depends on the number of records being modified and the capabilities of your server.



The screenshot shows a window titled "Edit '20th century music'". On the left is an icon of a book with a star. The main text explains that editing an authority-controlled term will update all corresponding terms in the database to match changes. It also mentions that in the event of an erroneous or duplicate term, users can "merge" two terms by changing a term to one that already exists. It notes that editing a term will prompt Authority Control to schedule a System Utility to perform these modifications, with completion time depending on the number of records modified and the capabilities of the server.

Below the text, there is a "Series" label followed by a text input field containing "20th century music". Underneath the input field are two buttons: "YES, This MAY modify up to 5 records" and "NO, Go back and modify selection".

Access the authority control summary in Operations Management by selecting the wrench icon in the top right corner.

Edit Alias (for Medium types only)

Mediums can come from different locations in a record.

- The AACR2-style records use 245_h while RDA-style records use a series of separate, more specific tags (336_a, 337_a, and 338_a).
- Mediums can never contain hyphens "-" as this character is used to denote the separation of tags 336-337-338 in an RDA-structured record; if a hyphen is encountered, it's replaced with a space in the MARC record.
- An Alias allows those who prefer simpler medium names to use them even when their data contains a mixture of AACR2 and RDA-style records.
 - For example, if you prefer the term "Book" over "Text-Unmediated-Volume", you may use it as an Alias for a specific sequence of 336-337-338 RDA tags.

Category/Type

▼ Patrons

Grade

City

State

Postal Code

Homeroom

2nd Location

▼ Titles

Interest

Bibliographic

Curriculum

Genre

Awards

▼ Series

Series

▼ Medium

Medium

► Publication

► Copies

► Names

► Subjects

Search

Listed below are all of the editable terms and fields for the currently selected Authority Control type on the left.

Term	Alias
[adobe epub ebook]	
[adobe pdf ebook]	
[book]	
[electronic resource]	
[musical sound recording]	
[sound recording]	
book	
Book	
still image-unmediated-volume	
text-unmediated-volume	

Edit Term

Edit Alias